

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22	2.20						2.20 (2.00 - 3.00)	0.890 (0.850 - 0.940)	4.07	95
25	2.50						2.50 (2.20 - 3.30)	0.890 (0.850 - 0.970)	4.07	95
35	3.50						3.50 (2.50 - 4.30)	1.030 (0.850 - 1.180)	4.71	95
42	4.20						4.20 (2.50 - 5.00)	1.230 (0.850 - 1.460)	5.63	95
50	5.00						5.00 (2.60 - 5.60)	1.440 (0.850 - 1.630)	6.59	95
60	6.00						6.00 (2.70 - 7.50)	1.840 (0.830 - 2.310)	8.42	95
71	7.10						7.10 (2.70 - 8.70)	2.310 (0.830 - 2.840)	10.57	95
80	8.00						8.00 (2.80 - 9.20)	2.320 (0.830 - 3.060)	10.62	95
22+22	2.20	2.20					4.40 (2.70 - 5.90)	1.130 (0.840 - 1.900)	5.06	97
22+25	2.20	2.50					4.70 (2.70 - 6.20)	1.240 (0.840 - 2.090)	5.56	97
22+35	2.20	3.50					5.70 (2.70 - 7.20)	1.630 (0.840 - 2.520)	7.31	97
22+42	2.20	4.20					6.40 (2.80 - 7.80)	1.900 (0.840 - 2.720)	8.52	97
22+50	2.20	5.00					7.20 (2.80 - 8.50)	2.930 (0.840 - 2.970)	13.13	97
22+60	2.20	6.00					8.20 (2.80 - 9.10)	2.950 (0.840 - 3.110)	13.22	97
22+71	2.06	6.64					8.70 (2.80 - 9.40)	2.950 (0.840 - 3.130)	13.22	97
22+80	1.94	7.06					9.00 (2.80 - 9.60)	2.960 (0.840 - 3.140)	13.27	97
25+25	2.50	2.50					5.00 (2.70 - 6.50)	1.350 (0.840 - 2.280)	6.05	97
25+35	2.50	3.50					6.00 (2.80 - 7.50)	1.750 (0.840 - 2.620)	7.84	97
25+42	2.50	4.20					6.70 (2.80 - 8.10)	2.020 (0.840 - 2.820)	9.05	97
25+50	2.50	5.00					7.50 (2.80 - 8.70)	2.940 (0.840 - 3.020)	13.18	97
25+60	2.47	5.93					8.40 (2.80 - 9.20)	2.950 (0.840 - 3.130)	13.22	97
25+71	2.29	6.51					8.80 (2.80 - 9.40)	2.950 (0.840 - 3.130)	13.22	97
25+80	2.17	6.93					9.10 (2.80 - 9.70)	2.980 (0.830 - 3.160)	13.36	97
35+35	3.50	3.50					7.00 (2.80 - 8.40)	2.140 (0.840 - 2.920)	9.59	97
35+42	3.50	4.20					7.70 (2.80 - 8.80)	2.940 (0.840 - 3.040)	13.18	97
35+50	3.46	4.94					8.40 (2.80 - 9.20)	2.950 (0.840 - 3.130)	13.22	97
35+60	3.21	5.49					8.70 (2.80 - 9.40)	2.950 (0.840 - 3.130)	13.22	97
35+71	3.00	6.10					9.10 (2.80 - 9.70)	2.980 (0.830 - 3.160)	13.36	97
35+80	2.86	6.54					9.40 (2.90 - 10.00)	3.010 (0.820 - 3.200)	13.49	97
42+42	4.20	4.20					8.40 (2.80 - 9.20)	2.950 (0.840 - 3.130)	13.22	97
42+50	3.97	4.73					8.70 (2.80 - 9.40)	2.950 (0.840 - 3.130)	13.22	97
42+60	3.71	5.29					9.00 (2.80 - 9.60)	2.960 (0.840 - 3.140)	13.27	97
42+71	3.49	5.91					9.40 (2.90 - 10.00)	3.010 (0.820 - 3.200)	13.49	97
42+80	3.30	6.30					9.60 (2.90 - 10.20)	3.040 (0.810 - 3.230)	13.63	97
50+50	4.45	4.45					8.90 (2.80 - 9.50)	2.950 (0.840 - 3.130)	13.22	97
50+60	4.23	5.07					9.30 (2.90 - 9.90)	3.000 (0.830 - 3.190)	13.45	97
50+71	3.97	5.63					9.60 (2.90 - 10.20)	3.040 (0.810 - 3.230)	13.63	97
50+80	3.69	5.91					9.60 (2.90 - 10.20)	3.040 (0.810 - 3.230)	13.63	97
60+60	4.80	4.80					9.60 (2.90 - 10.20)	3.040 (0.810 - 3.230)	13.63	97
60+71	4.44	5.26					9.70 (2.90 - 10.30)	3.050 (0.810 - 3.240)	13.67	97
60+80	4.16	5.54					9.70 (2.90 - 10.30)	3.050 (0.810 - 3.240)	13.67	97
71+71	4.85	4.85					9.70 (2.90 - 10.30)	3.050 (0.810 - 3.240)	13.67	97
71+80	4.61	5.19					9.80 (2.90 - 10.50)	3.080 (0.810 - 3.270)	13.81	97
80+80	4.95	4.95					9.90 (2.90 - 10.60)	3.100 (0.810 - 3.290)	13.90	97
22+22+22	2.20	2.20	2.20				6.60 (3.20 - 8.50)	1.590 (0.890 - 2.500)	7.13	97
22+22+25	2.20	2.20	2.50				6.90 (3.20 - 8.80)	1.720 (0.890 - 2.720)	7.71	97

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+35	2.09	2.09	3.32				7.50 (3.20 - 9.70)	1.980 (0.890 - 3.340)	8.87	97
22+22+42	2.10	2.10	4.00				8.20 (3.20 - 10.10)	2.350 (0.890 - 3.580)	10.53	97
22+22+50	2.08	2.08	4.73				8.90 (3.30 - 10.60)	2.730 (0.890 - 3.870)	12.24	97
22+22+60	2.03	2.03	5.54				9.60 (3.30 - 11.10)	3.100 (0.890 - 4.170)	13.90	97
22+22+71	1.86	1.86	5.99				9.70 (3.30 - 11.30)	3.200 (0.890 - 4.290)	14.34	97
22+22+80	1.76	1.76	6.39				9.90 (3.30 - 11.50)	3.390 (0.890 - 4.420)	15.19	97
22+25+25	2.20	2.50	2.50				7.20 (3.20 - 9.20)	1.850 (0.890 - 3.000)	8.29	97
22+25+35	2.20	2.50	3.50				8.20 (3.20 - 9.90)	2.350 (0.890 - 3.460)	10.53	97
22+25+42	2.03	2.30	3.87				8.20 (3.20 - 10.30)	2.350 (0.890 - 3.700)	10.53	97
22+25+50	2.02	2.29	4.59				8.90 (3.30 - 10.70)	2.730 (0.890 - 3.930)	12.24	97
22+25+60	1.97	2.24	5.38				9.60 (3.30 - 11.20)	3.100 (0.890 - 4.230)	13.90	97
22+25+71	1.83	2.08	5.90				9.80 (3.30 - 11.40)	3.290 (0.890 - 4.360)	14.75	97
22+25+80	1.71	1.95	6.24				9.90 (3.30 - 11.50)	3.390 (0.890 - 4.420)	15.19	97
22+35+35	2.13	3.39	3.39				8.90 (3.30 - 10.50)	2.730 (0.890 - 3.810)	12.24	97
22+35+42	1.98	3.15	3.78				8.90 (3.30 - 10.90)	2.730 (0.890 - 4.050)	12.24	97
22+35+50	1.97	3.14	4.49				9.60 (3.30 - 11.20)	3.100 (0.890 - 4.230)	13.90	97
22+35+60	1.84	2.93	5.03				9.80 (3.30 - 11.40)	3.290 (0.890 - 4.360)	14.75	97
22+35+71	1.72	2.73	5.55				10.00 (3.30 - 11.60)	3.440 (0.890 - 4.490)	15.42	97
22+35+80	1.64	2.61	5.96				10.20 (3.30 - 11.80)	3.540 (0.890 - 4.640)	15.87	97
22+42+42	1.99	3.80	3.80				9.60 (3.30 - 11.20)	3.100 (0.890 - 4.230)	13.90	97
22+42+50	1.87	3.57	4.25				9.70 (3.30 - 11.30)	3.200 (0.890 - 4.290)	14.34	97
22+42+60	1.76	3.35	4.79				9.90 (3.30 - 11.50)	3.390 (0.890 - 4.420)	15.19	97
22+42+71	1.66	3.17	5.36				10.20 (3.30 - 11.80)	3.540 (0.890 - 4.640)	15.87	97
22+42+80	1.59	3.03	5.78				10.40 (3.30 - 12.00)	3.640 (0.890 - 4.780)	16.32	97
22+50+50	1.77	4.02	4.02				9.80 (3.30 - 11.40)	3.290 (0.890 - 4.360)	14.75	97
22+50+60	1.68	3.83	4.59				10.10 (3.30 - 11.70)	3.490 (0.890 - 4.570)	15.64	97
22+50+71	1.60	3.64	5.16				10.40 (3.30 - 12.00)	3.640 (0.890 - 4.780)	16.32	97
22+50+80	1.55	3.52	5.63				10.70 (3.30 - 12.30)	3.730 (0.890 - 4.870)	16.72	97
22+60+60	1.61	4.39	4.39				10.40 (3.30 - 12.00)	3.640 (0.890 - 4.780)	16.32	97
22+60+71	1.54	4.20	4.97				10.70 (3.30 - 12.30)	3.730 (0.890 - 4.870)	16.72	97
22+60+80	1.49	4.07	5.43				11.00 (3.30 - 12.50)	3.680 (0.870 - 4.740)	16.49	97
22+71+71	1.48	4.76	4.76				11.00 (3.30 - 12.60)	3.680 (0.870 - 4.680)	16.49	97
22+71+80	1.44	4.64	5.23				11.30 (3.40 - 12.80)	3.640 (0.860 - 4.550)	16.32	97
25+25+25	2.50	2.50	2.50				7.50 (3.20 - 9.50)	1.980 (0.890 - 3.220)	8.87	97
25+25+35	2.41	2.41	3.38				8.20 (3.20 - 10.10)	2.350 (0.890 - 3.580)	10.53	97
25+25+42	2.42	2.42	4.06				8.90 (3.30 - 10.50)	2.730 (0.890 - 3.810)	12.24	97
25+25+50	2.40	2.40	4.80				9.60 (3.30 - 10.90)	3.100 (0.890 - 4.050)	13.90	97
25+25+60	2.20	2.20	5.29				9.70 (3.30 - 11.30)	3.200 (0.890 - 4.290)	14.34	97
25+25+71	2.02	2.02	5.75				9.80 (3.30 - 11.40)	3.290 (0.890 - 4.360)	14.75	97
25+25+80	1.92	1.92	6.15				10.00 (3.30 - 11.60)	3.440 (0.890 - 4.490)	15.42	97
25+35+35	2.34	3.28	3.28				8.90 (3.30 - 10.60)	2.730 (0.890 - 3.870)	12.24	97
25+35+42	2.35	3.29	3.95				9.60 (3.30 - 11.00)	3.100 (0.890 - 4.110)	13.90	97
25+35+50	2.20	3.09	4.41				9.70 (3.30 - 11.30)	3.200 (0.890 - 4.290)	14.34	97
25+35+60	2.04	2.86	4.90				9.80 (3.30 - 11.40)	3.290 (0.890 - 4.360)	14.75	97
25+35+71	1.91	2.67	5.42				10.00 (3.30 - 11.60)	3.440 (0.890 - 4.490)	15.42	97
25+35+80	1.84	2.58	5.89				10.30 (3.30 - 11.90)	3.590 (0.890 - 4.710)	16.09	97

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
25+42+42	2.22	3.74	3.74				(3.30 9.70 - 11.30)	(0.890 3.200 - 4.290)	14.34 97
25+42+50	2.09	3.52	4.19				(3.30 9.80 - 11.40)	(0.890 3.290 - 4.360)	14.75 97
25+42+60	1.95	3.27	4.68				(3.30 9.90 - 11.50)	(0.890 3.390 - 4.420)	15.19 97
25+42+71	1.87	3.13	5.30				(3.30 10.30 - 11.90)	(0.890 3.590 - 4.710)	16.09 97
25+42+80	1.79	3.00	5.71				(3.30 10.50 - 12.10)	(0.890 3.690 - 4.860)	16.54 97
25+50+50	1.98	3.96	3.96				(3.30 9.90 - 11.50)	(0.890 3.390 - 4.420)	15.19 97
25+50+60	1.89	3.78	4.53				(3.30 10.20 - 11.80)	(0.890 3.540 - 4.640)	15.87 97
25+50+71	1.80	3.60	5.11				(3.30 10.50 - 12.10)	(0.890 3.690 - 4.860)	16.54 97
25+50+80	1.74	3.48	5.57				(3.30 10.80 - 12.30)	(0.880 3.710 - 4.870)	16.63 97
25+60+60	1.81	4.34	4.34				(3.30 10.50 - 12.10)	(0.890 3.690 - 4.860)	16.54 97
25+60+71	1.73	4.15	4.92				(3.30 10.80 - 12.40)	(0.880 3.710 - 4.800)	16.63 97
25+60+80	1.68	4.04	5.38				(3.40 11.10 - 12.60)	(0.870 3.670 - 4.680)	16.45 97
25+71+71	1.66	4.72	4.72				(3.40 11.10 - 12.70)	(0.870 3.670 - 4.610)	16.45 97
25+71+80	1.62	4.60	5.18				(3.40 11.40 - 12.90)	(0.860 3.620 - 4.480)	16.23 97
35+35+35	3.20	3.20	3.20				(3.30 9.60 - 11.20)	(0.890 3.100 - 4.230)	13.90 97
35+35+42	3.03	3.03	3.64				(3.30 9.70 - 11.30)	(0.890 3.200 - 4.290)	14.34 97
35+35+50	2.86	2.86	4.08				(3.30 9.80 - 11.40)	(0.890 3.290 - 4.360)	14.75 97
35+35+60	2.69	2.69	4.62				(3.30 10.00 - 11.60)	(0.890 3.440 - 4.490)	15.42 97
35+35+71	2.56	2.56	5.19				(3.30 10.30 - 11.90)	(0.890 3.590 - 4.710)	16.09 97
35+35+80	2.47	2.47	5.65				(3.30 10.60 - 12.20)	(0.890 3.740 - 4.930)	16.76 97
35+42+42	2.88	3.46	3.46				(3.30 9.80 - 11.40)	(0.890 3.290 - 4.360)	14.75 97
35+42+50	2.73	3.27	3.90				(3.30 9.90 - 11.50)	(0.890 3.390 - 4.420)	15.19 97
35+42+60	2.61	3.13	4.47				(3.30 10.20 - 11.80)	(0.890 3.540 - 4.640)	15.87 97
35+42+71	2.48	2.98	5.04				(3.30 10.50 - 12.10)	(0.890 3.690 - 4.860)	16.54 97
35+42+80	2.41	2.89	5.50				(3.30 10.80 - 12.40)	(0.880 3.710 - 4.800)	16.63 97
35+50+50	2.64	3.78	3.78				(3.30 10.20 - 11.80)	(0.890 3.540 - 4.640)	15.87 97
35+50+60	2.53	3.62	4.34				(3.30 10.50 - 12.10)	(0.890 3.690 - 4.860)	16.54 97
35+50+71	2.42	3.46	4.92				(3.30 10.80 - 12.40)	(0.880 3.710 - 4.800)	16.63 97
35+50+80	2.35	3.36	5.38				(3.40 11.10 - 12.60)	(0.870 3.670 - 4.680)	16.45 97
35+60+60	2.44	4.18	4.18				(3.30 10.80 - 12.30)	(0.880 3.710 - 4.870)	16.63 97
35+60+71	2.34	4.01	4.75				(3.40 11.10 - 12.60)	(0.870 3.670 - 4.680)	16.45 97
35+60+80	2.28	3.91	5.21				(3.40 11.40 - 12.90)	(0.860 3.620 - 4.480)	16.23 97
35+71+71	2.25	4.57	4.57				(3.40 11.40 - 12.90)	(0.850 3.620 - 4.480)	16.23 97
42+42+42	3.30	3.30	3.30				(3.30 9.90 - 11.50)	(0.890 3.390 - 4.420)	15.19 97
42+42+50	3.17	3.17	3.77				(3.30 10.10 - 11.70)	(0.890 3.490 - 4.570)	15.64 97
42+42+60	3.03	3.03	4.33				(3.30 10.40 - 12.00)	(0.890 3.640 - 4.780)	16.32 97
42+42+71	2.93	2.93	4.95				(3.30 10.80 - 12.30)	(0.880 3.710 - 4.870)	16.63 97
42+42+80	2.82	2.82	5.37				(3.30 11.00 - 12.60)	(0.870 3.680 - 4.680)	16.49 97
42+50+50	3.08	3.66	3.66				(3.30 10.40 - 12.00)	(0.890 3.640 - 4.780)	16.32 97
42+50+60	2.96	3.52	4.22				(3.30 10.70 - 12.30)	(0.890 3.730 - 4.870)	16.72 97
42+50+71	2.83	3.37	4.79				(3.30 11.00 - 12.50)	(0.870 3.680 - 4.740)	16.49 97
42+50+80	2.76	3.28	5.26				(3.40 11.30 - 12.80)	(0.860 3.640 - 4.550)	16.32 97
42+60+60	2.85	4.07	4.07				(3.30 11.00 - 12.50)	(0.870 3.680 - 4.740)	16.49 97
42+60+71	2.74	3.92	4.64				(3.40 11.30 - 12.80)	(0.860 3.640 - 4.550)	16.32 97
50+50+50	3.53	3.53	3.53				(3.30 10.60 - 12.20)	(0.890 3.740 - 4.930)	16.76 97
50+50+60	3.41	3.41	4.09				(3.30 10.90 - 12.50)	(0.880 3.700 - 4.740)	16.58 97
50+50+71	3.27	3.27	4.65				(3.40 11.20 - 12.80)	(0.860 3.650 - 4.550)	16.36 97
50+50+80	3.19	3.19	5.11				(3.40 11.50 - 13.00)	(0.850 3.610 - 4.420)	16.18 97

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
50+60+60	3.29	3.95	3.95				11.20 (3.40 - 12.70)	3.650 (0.860 - 4.610)	16.36	97
60+60+60	3.83	3.83	3.83				11.50 (3.40 - 13.00)	3.610 (0.850 - 4.420)	16.18	97
22+22+22+22	2.20	2.20	2.20	2.20			8.80 (3.30 - 11.00)	2.310 (0.870 - 3.850)	10.14	99
22+22+22+25	2.20	2.20	2.20	2.50			9.10 (3.30 - 11.20)	2.500 (0.870 - 3.900)	10.98	99
22+22+22+35	2.18	2.18	2.18	3.47			10.00 (3.30 - 11.80)	3.070 (0.870 - 4.050)	13.48	99
22+22+22+42	2.06	2.06	2.06	3.93			10.10 (3.30 - 11.90)	3.110 (0.870 - 4.100)	13.66	99
22+22+22+50	1.95	1.95	1.95	4.44			10.30 (3.30 - 12.00)	3.190 (0.870 - 4.140)	14.01	99
22+22+22+60	1.83	1.83	1.83	5.00			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36	99
22+22+22+71	1.70	1.70	1.70	5.49			10.60 (3.40 - 12.40)	3.310 (0.870 - 4.330)	14.54	99
22+22+22+80	1.61	1.61	1.61	5.86			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+25+25	2.20	2.20	2.50	2.50			9.40 (3.30 - 11.40)	2.690 (0.870 - 3.950)	11.81	99
22+22+25+35	2.14	2.14	2.43	3.40			10.10 (3.30 - 11.90)	3.110 (0.870 - 4.100)	13.66	99
22+22+25+42	2.02	2.02	2.30	3.86			10.20 (3.30 - 12.00)	3.150 (0.870 - 4.140)	13.83	99
22+22+25+50	1.90	1.90	2.16	4.33			10.30 (3.30 - 12.10)	3.190 (0.870 - 4.190)	14.01	99
22+22+25+60	1.79	1.79	2.03	4.88			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36	99
22+22+25+71	1.68	1.68	1.91	5.43			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+25+80	1.58	1.58	1.80	5.74			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+35+35	1.97	1.97	3.13	3.13			10.20 (3.30 - 12.00)	3.150 (0.870 - 4.140)	13.83	99
22+22+35+42	1.89	1.89	3.01	3.61			10.40 (3.40 - 12.10)	3.230 (0.870 - 4.190)	14.19	99
22+22+35+50	1.79	1.79	2.85	4.07			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36	99
22+22+35+60	1.69	1.69	2.69	4.62			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+35+71	1.57	1.57	2.50	5.06			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+35+80	1.49	1.49	2.38	5.43			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+42+42	1.80	1.80	3.45	3.45			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36	99
22+22+42+50	1.71	1.71	3.27	3.90			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54	99
22+22+42+60	1.61	1.61	3.08	4.40			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+42+71	1.51	1.51	2.89	4.88			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+42+80	1.43	1.43	2.73	5.20			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+50+50	1.63	1.63	3.72	3.72			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+22+50+60	1.54	1.54	3.51	4.21			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+50+71	1.44	1.44	3.27	4.65			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+50+80	1.37	1.37	3.10	4.97			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+60+60	1.45	1.45	3.95	3.95			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+22+60+71	1.36	1.36	3.70	4.38			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+25+25+25	2.20	2.50	2.50	2.50			9.70 (3.30 - 11.60)	2.880 (0.870 - 4.000)	12.65	99
22+25+25+35	2.08	2.36	2.36	3.30			10.10 (3.30 - 11.90)	3.110 (0.870 - 4.100)	13.66	99
22+25+25+42	1.97	2.24	2.24	3.76			10.20 (3.30 - 12.00)	3.150 (0.870 - 4.140)	13.83	99
22+25+25+50	1.88	2.13	2.13	4.26			10.40 (3.40 - 12.10)	3.230 (0.870 - 4.190)	14.19	99
22+25+25+60	1.77	2.01	2.01	4.82			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54	99
22+25+25+71	1.65	1.87	1.87	5.31			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+25+25+80	1.55	1.76	1.76	5.63			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+25+35+35	1.94	2.20	3.08	3.08			10.30 (3.30 - 12.10)	3.190 (0.870 - 4.190)	14.01	99
22+25+35+42	1.85	2.10	2.94	3.52			10.40 (3.40 - 12.20)	3.230 (0.870 - 4.240)	14.19	99
22+25+35+50	1.77	2.01	2.81	4.02			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54	99
22+25+35+60	1.66	1.88	2.64	4.52			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+25+35+71	1.54	1.75	2.45	4.97			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71	99
22+25+35+80	1.47	1.67	2.33	5.33			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84	99
22+25+42+42	1.76	2.00	3.37	3.37			10.50 (3.40 - 12.30)	3.270 (0.870 - 4.280)	14.36	99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
22+25+42+50	1.69	1.92	3.23	3.85			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+25+42+60	1.58	1.80	3.02	4.31			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+25+42+71	1.49	1.69	2.84	4.79			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+42+80	1.41	1.60	2.68	5.11			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+50+50	1.60	1.82	3.64	3.64			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+25+50+60	1.51	1.72	3.44	4.13			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+50+71	1.41	1.61	3.21	4.56			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+50+80	1.34	1.53	3.05	4.88			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+60+60	1.42	1.62	3.88	3.88			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+25+60+71	1.33	1.52	3.64	4.31			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+35+35	1.82	2.89	2.89	2.89			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36 99
22+35+35+42	1.74	2.77	2.77	3.32			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54 99
22+35+35+50	1.66	2.64	2.64	3.77			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+35+35+60	1.55	2.46	2.46	4.22			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+35+35+71	1.46	2.32	2.32	4.70			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+35+80	1.38	2.20	2.20	5.02			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+42+42	1.67	2.66	3.19	3.19			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+35+42+50	1.58	2.51	3.02	3.59			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+35+42+60	1.49	2.38	2.85	4.08			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+42+71	1.40	2.22	2.67	4.51			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+42+80	1.33	2.11	2.53	4.83			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+50+50	1.51	2.41	3.44	3.44			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+50+60	1.42	2.26	3.23	3.88			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+50+71	1.33	2.12	3.03	4.31			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+35+60+60	1.34	2.14	3.66	3.66			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+42+42+42	1.59	3.04	3.04	3.04			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
22+42+42+50	1.52	2.91	2.91	3.46			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+42+42+60	1.43	2.73	2.73	3.90			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+42+42+71	1.34	2.56	2.56	4.33			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+42+50+50	1.45	2.77	3.29	3.29			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+42+50+60	1.37	2.61	3.10	3.72			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+50+50+50	1.38	3.14	3.14	3.14			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+25+25	2.50	2.50	2.50	2.50			10.00 (3.30 - 11.80)	3.070 (0.870 - 4.050)	13.48 99
25+25+25+35	2.32	2.32	2.32	3.25			10.20 (3.30 - 12.00)	3.150 (0.870 - 4.140)	13.83 99
25+25+25+42	2.20	2.20	2.20	3.70			10.30 (3.30 - 12.10)	3.190 (0.870 - 4.190)	14.01 99
25+25+25+50	2.08	2.08	2.08	4.16			10.40 (3.40 - 12.20)	3.230 (0.870 - 4.240)	14.19 99
25+25+25+60	1.96	1.96	1.96	4.71			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54 99
25+25+25+71	1.83	1.83	1.83	5.20			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+25+25+80	1.74	1.74	1.74	5.57			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+35+35	2.17	2.17	3.03	3.03			10.40 (3.40 - 12.10)	3.230 (0.870 - 4.190)	14.19 99
25+25+35+42	2.07	2.07	2.89	3.47			10.50 (3.40 - 12.20)	3.270 (0.870 - 4.240)	14.36 99
25+25+35+50	1.96	1.96	2.75	3.93			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54 99
25+25+35+60	1.84	1.84	2.58	4.43			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+25+35+71	1.73	1.73	2.42	4.92			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+35+80	1.64	1.64	2.29	5.24			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+42+42	1.98	1.98	3.32	3.32			10.60 (3.40 - 12.30)	3.310 (0.870 - 4.280)	14.54 99
25+25+42+50	1.88	1.88	3.16	3.77			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+25+42+60	1.76	1.76	2.96	4.22			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
25+25+42+71	1.66	1.66	2.78	4.70			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+42+80	1.57	1.57	2.64	5.02			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+50+50	1.78	1.78	3.57	3.57			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+25+50+60	1.69	1.69	3.38	4.05			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+50+71	1.58	1.58	3.16	4.48			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+50+80	1.50	1.50	3.00	4.80			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+25+60+60	1.59	1.59	3.81	3.81			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+35+35	2.02	2.83	2.83	2.83			10.50 (3.40 - 12.30)	3.270 (0.870 - 4.280)	14.36 99
25+35+35+42	1.93	2.71	2.71	3.25			10.60 (3.40 - 12.40)	3.310 (0.870 - 4.330)	14.54 99
25+35+35+50	1.84	2.58	2.58	3.69			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+35+35+60	1.74	2.44	2.44	4.18			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+35+71	1.63	2.28	2.28	4.62			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+35+80	1.54	2.16	2.16	4.94			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+42+42	1.86	2.60	3.12	3.12			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+35+42+50	1.76	2.46	2.96	3.52			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+35+42+60	1.67	2.33	2.80	4.00			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+42+71	1.56	2.18	2.62	4.43			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+50+50	1.69	2.36	3.38	3.38			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+50+60	1.59	2.22	3.18	3.81			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+35+60+60	1.50	2.10	3.60	3.60			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+42+42+42	1.77	2.98	2.98	2.98			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
25+42+42+50	1.70	2.85	2.85	3.40			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+42+42+60	1.60	2.68	2.68	3.83			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+42+42+71	1.50	2.52	2.52	4.26			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+42+50+50	1.62	2.72	3.23	3.23			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+42+50+60	1.53	2.56	3.05	3.66			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
25+50+50+50	1.54	3.09	3.09	3.09			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+35+35	2.68	2.68	2.68	2.68			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
35+35+35+42	2.55	2.55	2.55	3.06			10.70 (3.40 - 12.40)	3.350 (0.870 - 4.330)	14.71 99
35+35+35+50	2.44	2.44	2.44	3.48			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+35+60	2.29	2.29	2.29	3.93			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+35+71	2.15	2.15	2.15	4.36			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+42+42	2.45	2.45	2.95	2.95			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+42+50	2.33	2.33	2.80	3.33			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+42+60	2.20	2.20	2.64	3.77			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+50+50	2.22	2.22	3.18	3.18			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+35+50+60	2.10	2.10	3.00	3.60			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+42+42+42	2.35	2.82	2.82	2.82			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+42+42+50	2.24	2.68	2.68	3.20			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+42+42+60	2.11	2.53	2.53	3.62			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
35+42+50+50	2.14	2.56	3.05	3.05			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
42+42+42+42	2.70	2.70	2.70	2.70			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
42+42+42+50	2.58	2.58	2.58	3.07			10.80 (3.40 - 12.50)	3.380 (0.870 - 4.400)	14.84 99
22+22+22+22+22	2.20	2.20	2.20	2.20	2.20		11.00 (3.50 - 13.20)	3.350 (0.890 - 5.810)	14.71 99
22+22+22+22+25	2.18	2.18	2.18	2.18	2.48		11.20 (3.50 - 13.20)	3.470 (0.890 - 5.800)	15.24 99
22+22+22+22+35	2.11	2.11	2.11	2.11	3.36		11.80 (3.50 - 13.20)	3.830 (0.890 - 5.770)	16.82 99
22+22+22+22+42	2.01	2.01	2.01	2.01	3.84		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+22+50	1.90	1.90	1.90	1.90	4.31		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
22+22+22+22+60	1.77	1.77	1.77	1.77	4.82		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+22+71	1.65	1.65	1.65	1.65	5.31		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+22+80	1.56	1.56	1.56	1.56	5.67		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+25	2.16	2.16	2.16	2.46	2.46		11.40 (3.50 - 13.20)	3.590 (0.890 - 5.790)	15.77 99
22+22+22+25+35	2.08	2.08	2.08	2.36	3.31		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+42	1.97	1.97	1.97	2.24	3.76		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+50	1.86	1.86	1.86	2.11	4.22		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+60	1.73	1.73	1.73	1.97	4.73		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+71	1.62	1.62	1.62	1.84	5.22		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+25+80	1.53	1.53	1.53	1.74	5.57		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+35+35	1.93	1.93	1.93	3.06	3.06		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+35+42	1.83	1.83	1.83	2.91	3.50		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+35+50	1.73	1.73	1.73	2.76	3.94		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+35+60	1.63	1.63	1.63	2.59	4.43		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+35+71	1.52	1.52	1.52	2.42	4.91		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+42+42	1.75	1.75	1.75	3.33	3.33		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+42+50	1.66	1.66	1.66	3.16	3.77		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+42+60	1.56	1.56	1.56	2.98	4.25		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+42+71	1.46	1.46	1.46	2.79	4.72		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+50+50	1.58	1.58	1.58	3.58	3.58		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+22+50+60	1.49	1.49	1.49	3.38	4.06		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+25	2.13	2.13	2.42	2.42	2.42		11.50 (3.50 - 13.20)	3.650 (0.890 - 5.780)	16.03 99
22+22+25+25+35	2.03	2.03	2.31	2.31	3.23		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+42	1.93	1.93	2.19	2.19	3.68		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+50	1.82	1.82	2.07	2.07	4.13		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+60	1.70	1.70	1.93	1.93	4.64		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+71	1.59	1.59	1.80	1.80	5.12		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+25+80	1.50	1.50	1.71	1.71	5.47		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+35+35	1.88	1.88	2.14	3.00	3.00		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+35+42	1.79	1.79	2.04	2.85	3.42		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+35+50	1.70	1.70	1.93	2.70	3.86		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+35+60	1.60	1.60	1.81	2.54	4.35		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+35+71	1.50	1.50	1.70	2.38	4.83		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+42+42	1.71	1.71	1.94	3.27	3.27		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+42+50	1.63	1.63	1.85	3.10	3.70		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+42+60	1.53	1.53	1.74	2.92	4.18		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+50+50	1.55	1.55	1.76	3.52	3.52		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+25+50+60	1.46	1.46	1.66	3.32	3.99		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+35+35	1.76	1.76	2.80	2.80	2.80		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+35+42	1.68	1.68	2.67	2.67	3.20		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+35+50	1.60	1.60	2.54	2.54	3.63		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+35+60	1.50	1.50	2.39	2.39	4.10		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+42+42	1.61	1.61	2.56	3.07	3.07		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+42+50	1.53	1.53	2.44	2.92	3.48		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+35+50+50	1.46	1.46	2.33	3.32	3.32		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+42+42+42	1.54	1.54	2.94	2.94	2.94		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+22+42+42+50	1.47	1.47	2.81	2.81	3.34		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+25	2.11	2.40	2.40	2.40	2.40		11.70 (3.50 - 13.20)	3.770 (0.890 - 5.770)	16.56 99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
22+25+25+25+35	1.98	2.25	2.25	2.25	3.16		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+42	1.88	2.14	2.14	2.14	3.60		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+50	1.78	2.02	2.02	2.02	4.05		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+60	1.67	1.89	1.89	1.89	4.55		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+71	1.56	1.77	1.77	1.77	5.03		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+25+80	1.48	1.68	1.68	1.68	5.38		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+35+35	1.84	2.10	2.10	2.93	2.93		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+35+42	1.76	2.00	2.00	2.80	3.35		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+35+50	1.67	1.89	1.89	2.65	3.79		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+35+60	1.57	1.78	1.78	2.49	4.28		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+35+71	1.47	1.67	1.67	2.34	4.75		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+42+42	1.68	1.91	1.91	3.20	3.20		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+42+50	1.60	1.81	1.81	3.05	3.63		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+42+60	1.50	1.71	1.71	2.87	4.10		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+25+50+50	1.52	1.73	1.73	3.46	3.46		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+35+35	1.72	1.96	2.74	2.74	2.74		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+35+42	1.65	1.87	2.62	2.62	3.14		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+35+50	1.57	1.78	2.49	2.49	3.56		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+35+60	1.48	1.68	2.35	2.35	4.03		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+42+42	1.58	1.79	2.51	3.01	3.01		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+35+42+50	1.50	1.71	2.39	2.87	3.42		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+25+42+42+42	1.51	1.72	2.89	2.89	2.89		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+35+35+35+35	1.62	2.57	2.57	2.57	2.57		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+35+35+35+42	1.55	2.46	2.46	2.46	2.96		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+35+35+35+50	1.48	2.35	2.35	2.35	3.36		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
22+35+35+42+42	1.49	2.37	2.37	2.84	2.84		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+25	2.38	2.38	2.38	2.38	2.38		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+35	2.20	2.20	2.20	2.20	3.09		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+42	2.10	2.10	2.10	2.10	3.52		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+50	1.98	1.98	1.98	1.98	3.97		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+60	1.86	1.86	1.86	1.86	4.46		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+71	1.74	1.74	1.74	1.74	4.94		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+25+80	1.65	1.65	1.65	1.65	5.29		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+35+35	2.05	2.05	2.05	2.87	2.87		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+35+42	1.96	1.96	1.96	2.74	3.29		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+35+50	1.86	1.86	1.86	2.60	3.72		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+35+60	1.75	1.75	1.75	2.45	4.20		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+42+42	1.87	1.87	1.87	3.14	3.14		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+42+50	1.78	1.78	1.78	2.99	3.56		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+42+60	1.68	1.68	1.68	2.82	4.03		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+25+50+50	1.70	1.70	1.70	3.40	3.40		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+35+35	1.92	1.92	2.69	2.69	2.69		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+35+42	1.84	1.84	2.57	2.57	3.09		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+35+50	1.75	1.75	2.45	2.45	3.50		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+35+60	1.65	1.65	2.31	2.31	3.97		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+42+42	1.76	1.76	2.46	2.96	2.96		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+35+42+50	1.68	1.68	2.35	2.82	3.36		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99
25+25+42+42+42	1.69	1.69	2.84	2.84	2.84		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08 99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+35+35+35+35	1.80	2.52	2.52	2.52	2.52		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08	99
25+35+35+35+42	1.73	2.42	2.42	2.42	2.91		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08	99
25+35+35+35+50	1.65	2.31	2.31	2.31	3.31		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08	99
25+35+35+42+42	1.66	2.33	2.33	2.79	2.79		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08	99
35+35+35+35+35	2.38	2.38	2.38	2.38	2.38		11.90 (3.50 - 13.20)	3.890 (0.890 - 5.760)	17.08	99
22+22+22+22+22+22	1.92	1.92	1.92	1.92	1.92	1.92	11.50 (3.50 - 13.50)	3.400 (0.880 - 5.200)	14.93	99
22+22+22+22+22+25	1.89	1.89	1.89	1.89	1.89	2.15	11.60 (3.50 - 13.50)	3.410 (0.880 - 5.220)	14.98	99
22+22+22+22+22+35	1.81	1.81	1.81	1.81	1.81	2.87	11.90 (3.50 - 13.50)	3.460 (0.880 - 5.290)	15.20	99
22+22+22+22+22+42	1.74	1.74	1.74	1.74	1.74	3.32	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+22+50	1.65	1.65	1.65	1.65	1.65	3.75	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+22+60	1.55	1.55	1.55	1.55	1.55	4.24	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+25+25	1.87	1.87	1.87	1.87	2.12	2.12	11.70 (3.50 - 13.50)	3.430 (0.880 - 5.240)	15.06	99
22+22+22+22+25+35	1.77	1.77	1.77	1.77	2.01	2.81	11.90 (3.50 - 13.50)	3.470 (0.880 - 5.310)	15.24	99
22+22+22+22+25+42	1.70	1.70	1.70	1.70	1.94	3.25	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+25+50	1.62	1.62	1.62	1.62	1.84	3.68	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+25+60	1.53	1.53	1.53	1.53	1.73	4.16	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+35+35	1.67	1.67	1.67	1.67	2.66	2.66	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+35+42	1.60	1.60	1.60	1.60	2.55	3.05	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+35+50	1.53	1.53	1.53	1.53	2.43	3.47	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+42+42	1.53	1.53	1.53	1.53	2.93	2.93	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+22+42+50	1.47	1.47	1.47	1.47	2.80	3.33	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+25+25	1.84	1.84	1.84	2.09	2.09	2.09	11.80 (3.50 - 13.50)	3.440 (0.880 - 5.260)	15.11	99
22+22+22+25+25+35	1.75	1.75	1.75	1.99	1.99	2.78	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+25+42	1.67	1.67	1.67	1.90	1.90	3.19	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+25+50	1.59	1.59	1.59	1.81	1.81	3.61	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+25+60	1.50	1.50	1.50	1.70	1.70	4.09	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+35+35	1.64	1.64	1.64	1.86	2.61	2.61	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+35+42	1.57	1.57	1.57	1.79	2.50	3.00	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+35+50	1.50	1.50	1.50	1.70	2.39	3.41	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+25+42+42	1.51	1.51	1.51	1.71	2.88	2.88	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+35+35+35	1.54	1.54	1.54	2.46	2.46	2.46	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+22+35+35+42	1.48	1.48	1.48	2.36	2.36	2.83	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+25+25	1.80	1.80	2.05	2.05	2.05	2.05	11.80 (3.50 - 13.50)	3.450 (0.880 - 5.280)	15.15	99
22+22+25+25+25+35	1.71	1.71	1.95	1.95	1.95	2.73	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+25+42	1.64	1.64	1.86	1.86	1.86	3.13	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+25+50	1.56	1.56	1.78	1.78	1.78	3.55	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+25+60	1.47	1.47	1.68	1.68	1.68	4.02	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+35+35	1.61	1.61	1.83	1.83	2.56	2.56	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+35+42	1.54	1.54	1.75	1.75	2.46	2.95	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+35+50	1.47	1.47	1.68	1.68	2.35	3.35	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+25+42+42	1.48	1.48	1.69	1.69	2.83	2.83	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+22+25+35+35+35	1.52	1.52	1.72	2.41	2.41	2.41	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+25+25+25+25+25	1.78	2.02	2.02	2.02	2.02	2.02	11.90 (3.50 - 13.50)	3.470 (0.880 - 5.300)	15.24	99
22+25+25+25+25+35	1.68	1.91	1.91	1.91	1.91	2.68	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+25+25+25+25+42	1.61	1.83	1.83	1.83	1.83	3.07	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+25+25+25+25+50	1.53	1.74	1.74	1.74	1.74	3.49	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+25+25+25+35+35	1.58	1.80	1.80	1.80	2.51	2.51	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
22+25+25+25+35+42	1.52	1.72	1.72	1.72	2.41	2.90	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99

MXZ-6D120VA COOLING

Indoor units combination	Cooling capacity (kW)						Total	Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+25+25+35+35+35	1.49	1.69	1.69	2.37	2.37	2.37	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+25+25	2.00	2.00	2.00	2.00	2.00	2.00	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+25+35	1.88	1.88	1.88	1.88	1.88	2.63	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+25+42	1.80	1.80	1.80	1.80	1.80	3.02	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+25+50	1.71	1.71	1.71	1.71	1.71	3.43	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+35+35	1.76	1.76	1.76	1.76	2.47	2.47	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+25+35+42	1.69	1.69	1.69	1.69	2.37	2.85	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99
25+25+25+35+35+35	1.67	1.67	1.67	2.33	2.33	2.33	12.00 (3.50 - 13.50)	3.478 (0.880 - 5.320)	15.27	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22	3.30						3.30 (2.70 - 4.20)	1.110 (0.960 - 1.360)	5.08	95
25	3.60						3.60 (2.70 - 4.50)	1.170 (0.960 - 1.450)	5.35	95
35	4.00						4.00 (2.70 - 5.50)	1.140 (0.960 - 1.810)	5.22	95
42	5.40						5.40 (2.70 - 6.50)	1.610 (0.960 - 2.260)	7.37	95
50	7.20						7.20 (2.70 - 7.70)	2.270 (0.960 - 2.710)	10.39	95
60	7.90						7.90 (2.70 - 9.30)	2.270 (0.850 - 3.310)	10.39	95
71	8.60						8.60 (2.70 - 9.90)	2.410 (0.850 - 3.790)	11.03	95
80	9.00						9.00 (2.70 - 11.10)	2.530 (0.850 - 4.270)	11.58	95
22+22	3.30	3.30					6.60 (2.80 - 7.60)	1.740 (0.830 - 2.200)	7.80	97
22+25	3.23	3.67					6.90 (2.80 - 8.30)	1.850 (0.830 - 2.450)	8.29	97
22+35	2.89	4.61					7.50 (2.80 - 9.50)	2.090 (0.830 - 2.970)	9.37	97
22+42	2.68	5.12					7.80 (2.80 - 10.00)	2.220 (0.830 - 3.240)	9.95	97
22+50	2.57	5.83					8.40 (2.80 - 10.60)	2.360 (0.830 - 3.340)	10.58	97
22+60	2.79	7.61					10.40 (2.80 - 11.50)	3.270 (0.830 - 3.670)	14.66	97
22+71	2.63	8.47					11.10 (2.80 - 12.30)	3.470 (0.830 - 3.850)	15.55	97
22+80	2.44	8.86					11.30 (2.80 - 12.70)	3.450 (0.830 - 3.920)	15.46	97
25+25	3.60	3.60					7.20 (2.80 - 9.00)	1.950 (0.830 - 2.700)	8.74	97
25+35	3.17	4.43					7.60 (2.80 - 9.70)	2.130 (0.830 - 3.080)	9.55	97
25+42	2.95	4.95					7.90 (2.80 - 10.20)	2.270 (0.830 - 3.350)	10.17	97
25+50	3.00	6.00					9.00 (2.80 - 10.90)	2.630 (0.830 - 3.450)	11.79	97
25+60	3.18	7.62					10.80 (2.80 - 11.80)	3.450 (0.830 - 3.760)	15.46	97
25+71	2.92	8.28					11.20 (2.80 - 12.50)	3.470 (0.830 - 3.880)	15.55	97
25+80	2.69	8.61					11.30 (2.80 - 12.70)	3.400 (0.820 - 3.920)	15.24	97
35+35	4.00	4.00					8.00 (2.80 - 10.40)	2.310 (0.830 - 3.460)	10.35	97
35+42	4.27	5.13					9.40 (2.80 - 11.10)	2.810 (0.830 - 3.520)	12.60	97
35+50	4.45	6.35					10.80 (2.80 - 11.80)	3.450 (0.830 - 3.760)	15.46	97
35+60	4.09	7.01					11.10 (2.80 - 12.40)	3.470 (0.830 - 3.870)	15.55	97
35+71	3.73	7.57					11.30 (2.80 - 12.70)	3.380 (0.820 - 3.920)	15.15	97
35+80	3.44	7.86					11.30 (2.80 - 12.80)	3.230 (0.810 - 3.590)	14.48	97
42+42	5.40	5.40					10.80 (2.80 - 11.70)	3.450 (0.830 - 3.740)	15.46	97
42+50	5.07	6.03					11.10 (2.80 - 12.20)	3.470 (0.830 - 3.830)	15.55	97
42+60	4.65	6.65					11.30 (2.80 - 12.70)	3.450 (0.830 - 3.920)	15.46	97
42+71	4.20	7.10					11.30 (2.80 - 12.80)	3.270 (0.810 - 3.590)	14.66	97
42+80	3.89	7.41					11.30 (2.80 - 12.80)	3.140 (0.800 - 3.590)	14.07	97
50+50	5.65	5.65					11.30 (2.80 - 12.70)	3.480 (0.830 - 3.920)	15.60	97
50+60	5.14	6.16					11.30 (2.80 - 12.80)	3.320 (0.820 - 3.590)	14.88	97
50+71	4.67	6.63					11.30 (2.80 - 12.80)	3.150 (0.800 - 3.590)	14.12	97
50+80	4.35	6.95					11.30 (2.80 - 12.90)	3.120 (0.800 - 3.570)	13.98	97
60+60	5.65	5.65					11.30 (2.80 - 12.80)	3.150 (0.800 - 3.590)	14.12	97
60+71	5.18	6.12					11.30 (2.80 - 12.90)	3.120 (0.800 - 3.570)	13.98	97
60+80	4.84	6.46					11.30 (2.80 - 13.00)	3.090 (0.800 - 3.550)	13.85	97
71+71	5.65	5.65					11.30 (2.80 - 13.00)	3.080 (0.800 - 3.550)	13.81	97
71+80	5.31	5.99					11.30 (2.90 - 13.00)	3.000 (0.800 - 3.460)	13.45	97
80+80	5.65	5.65					11.30 (2.90 - 13.00)	2.910 (0.800 - 3.370)	13.04	97
22+22+22	3.30	3.30	3.30				9.90 (3.20 - 12.60)	2.490 (0.770 - 4.190)	11.16	97
22+22+25	3.25	3.25	3.70				10.20 (3.20 - 12.90)	2.660 (0.770 - 4.230)	11.92	97
22+22+35	3.06	3.06	4.87				11.00 (3.20 - 13.60)	3.120 (0.770 - 4.380)	13.98	97
22+22+42	2.87	2.87	5.47				11.20 (3.20 - 13.90)	3.240 (0.770 - 4.570)	14.52	97

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+50	2.71	2.71	6.17				11.60 (3.20 - 14.10)	3.500 (0.770 - 4.690)	15.69	97
22+22+60	2.54	2.54	6.92				12.00 (3.20 - 14.50)	3.750 (0.770 - 4.940)	16.81	97
22+22+71	2.35	2.35	7.59				12.30 (3.20 - 14.60)	3.880 (0.770 - 4.850)	17.39	97
22+22+80	2.22	2.22	8.06				12.50 (3.20 - 14.70)	3.960 (0.770 - 4.750)	17.75	97
22+25+25	3.21	3.65	3.65				10.50 (3.20 - 13.20)	2.820 (0.770 - 4.280)	12.64	97
22+25+35	2.98	3.38	4.74				11.10 (3.20 - 13.70)	3.180 (0.770 - 4.440)	14.25	97
22+25+42	2.82	3.20	5.38				11.40 (3.20 - 14.00)	3.370 (0.770 - 4.630)	15.11	97
22+25+50	2.65	3.02	6.03				11.70 (3.20 - 14.20)	3.560 (0.770 - 4.750)	15.96	97
22+25+60	2.49	2.83	6.79				12.10 (3.20 - 14.50)	3.790 (0.770 - 4.940)	16.99	97
22+25+71	2.31	2.63	7.46				12.40 (3.20 - 14.60)	3.920 (0.770 - 4.850)	17.57	97
22+25+80	2.18	2.48	7.94				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
22+35+35	2.75	4.38	4.38				11.50 (3.20 - 14.10)	3.430 (0.770 - 4.690)	15.37	97
22+35+42	2.62	4.17	5.01				11.80 (3.20 - 14.30)	3.620 (0.770 - 4.820)	16.23	97
22+35+50	2.49	3.96	5.65				12.10 (3.20 - 14.50)	3.790 (0.770 - 4.940)	16.99	97
22+35+60	2.31	3.68	6.31				12.30 (3.20 - 14.60)	3.880 (0.770 - 4.850)	17.39	97
22+35+71	2.17	3.45	6.99				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
22+35+80	2.06	3.27	7.47				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
22+42+42	2.49	4.75	4.75				12.00 (3.20 - 14.50)	3.750 (0.770 - 4.940)	16.81	97
22+42+50	2.37	4.53	5.39				12.30 (3.20 - 14.60)	3.880 (0.770 - 4.850)	17.39	97
22+42+60	2.22	4.23	6.05				12.50 (3.20 - 14.70)	3.960 (0.770 - 4.750)	17.75	97
22+42+71	2.09	3.98	6.73				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
22+42+80	1.99	3.79	7.22				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
22+50+50	2.25	5.12	5.12				12.50 (3.20 - 14.70)	3.960 (0.770 - 4.750)	17.75	97
22+50+60	2.12	4.81	5.77				12.70 (3.20 - 14.70)	4.010 (0.770 - 4.750)	17.97	97
22+50+71	2.00	4.55	6.45				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
22+50+80	1.90	4.31	6.89				13.10 (3.20 - 14.80)	4.050 (0.770 - 4.560)	18.15	97
22+60+60	2.00	5.45	5.45				12.90 (3.20 - 14.80)	4.030 (0.770 - 4.560)	18.06	97
22+60+71	1.88	5.14	6.08				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
22+60+80	1.78	4.85	6.47				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
22+71+71	1.76	5.67	5.67				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
22+71+80	1.68	5.42	6.10				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
25+25+25	3.60	3.60	3.60				10.80 (3.20 - 13.50)	2.990 (0.770 - 4.320)	13.40	97
25+25+35	3.29	3.29	4.61				11.20 (3.20 - 13.80)	3.240 (0.770 - 4.510)	14.52	97
25+25+42	3.13	3.13	5.25				11.50 (3.20 - 14.10)	3.430 (0.770 - 4.690)	15.37	97
25+25+50	2.95	2.95	5.90				11.80 (3.20 - 14.30)	3.620 (0.770 - 4.820)	16.23	97
25+25+60	2.75	2.75	6.60				12.10 (3.20 - 14.50)	3.790 (0.770 - 4.940)	16.99	97
25+25+71	2.58	2.58	7.33				12.50 (3.20 - 14.70)	3.960 (0.770 - 4.750)	17.75	97
25+25+80	2.44	2.44	7.82				12.70 (3.20 - 14.70)	4.010 (0.770 - 4.750)	17.97	97
25+35+35	3.05	4.27	4.27				11.60 (3.20 - 14.20)	3.500 (0.770 - 4.750)	15.69	97
25+35+42	2.92	4.08	4.90				11.90 (3.20 - 14.40)	3.690 (0.770 - 4.880)	16.54	97
25+35+50	2.75	3.85	5.50				12.10 (3.20 - 14.50)	3.790 (0.770 - 4.940)	16.99	97
25+35+60	2.58	3.62	6.20				12.40 (3.20 - 14.60)	3.920 (0.770 - 4.850)	17.57	97
25+35+71	2.42	3.39	6.88				12.70 (3.20 - 14.70)	4.010 (0.770 - 4.750)	17.97	97
25+35+80	2.30	3.23	7.37				12.90 (3.20 - 14.80)	4.030 (0.770 - 4.560)	18.06	97
25+42+42	2.78	4.66	4.66				12.10 (3.20 - 14.50)	3.790 (0.770 - 4.940)	16.99	97
25+42+50	2.63	4.42	5.26				12.30 (3.20 - 14.60)	3.880 (0.770 - 4.850)	17.39	97
25+42+60	2.48	4.17	5.95				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
25+42+71	2.34	3.93	6.64				12.90 (3.20 - 14.80)	4.030 (0.770 - 4.560)	18.06	97

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+42+80	2.21	3.71	7.07				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
25+50+50	2.52	5.04	5.04				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
25+50+60	2.37	4.74	5.69				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
25+50+71	2.23	4.45	6.32				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
25+50+80	2.11	4.23	6.76				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
25+60+60	2.24	5.38	5.38				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
25+60+71	2.10	5.04	5.96				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
25+60+80	2.00	4.80	6.40				13.20 (3.20 - 15.10)	3.900 (0.770 - 4.600)	17.48	97
25+71+71	1.98	5.61	5.61				13.20 (3.20 - 15.10)	3.900 (0.760 - 4.600)	17.48	97
25+71+80	1.88	5.33	6.00				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
35+35+35	4.00	4.00	4.00				12.00 (3.20 - 14.50)	3.750 (0.770 - 4.940)	16.81	97
35+35+42	3.81	3.81	4.58				12.20 (3.20 - 14.60)	3.830 (0.770 - 4.850)	17.17	97
35+35+50	3.62	3.62	5.17				12.40 (3.20 - 14.60)	3.920 (0.770 - 4.850)	17.57	97
35+35+60	3.42	3.42	5.86				12.70 (3.20 - 14.70)	4.010 (0.770 - 4.750)	17.97	97
35+35+71	3.20	3.20	6.50				12.90 (3.20 - 14.80)	4.030 (0.770 - 4.560)	18.06	97
35+35+80	3.06	3.06	6.99				13.10 (3.20 - 14.80)	4.050 (0.770 - 4.560)	18.15	97
35+42+42	3.65	4.38	4.38				12.40 (3.20 - 14.60)	3.920 (0.770 - 4.850)	17.57	97
35+42+50	3.47	4.17	4.96				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
35+42+60	3.27	3.92	5.61				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
35+42+71	3.10	3.72	6.28				13.10 (3.20 - 14.80)	4.050 (0.770 - 4.560)	18.15	97
35+42+80	2.92	3.50	6.68				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
35+50+50	3.32	4.74	4.74				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
35+50+60	3.14	4.48	5.38				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
35+50+71	2.94	4.20	5.96				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
35+50+80	2.80	4.00	6.40				13.20 (3.20 - 15.10)	3.900 (0.770 - 4.600)	17.48	97
35+60+60	2.96	5.07	5.07				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
35+60+71	2.78	4.77	5.65				13.20 (3.20 - 15.10)	3.900 (0.760 - 4.600)	17.48	97
35+60+80	2.64	4.53	6.03				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
35+71+71	2.61	5.29	5.29				13.20 (3.20 - 15.30)	3.900 (0.760 - 4.620)	17.48	97
42+42+42	4.20	4.20	4.20				12.60 (3.20 - 14.70)	4.000 (0.770 - 4.750)	17.93	97
42+42+50	4.01	4.01	4.78				12.80 (3.20 - 14.70)	4.020 (0.770 - 4.750)	18.02	97
42+42+60	3.79	3.79	5.42				13.00 (3.20 - 14.80)	4.040 (0.770 - 4.560)	18.11	97
42+42+71	3.55	3.55	6.00				13.10 (3.20 - 14.90)	4.050 (0.770 - 4.570)	18.15	97
42+42+80	3.35	3.35	6.39				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
42+50+50	3.82	4.54	4.54				12.90 (3.20 - 14.80)	4.030 (0.770 - 4.560)	18.06	97
42+50+60	3.62	4.31	5.17				13.10 (3.20 - 14.80)	4.050 (0.770 - 4.560)	18.15	97
42+50+71	3.38	4.02	5.71				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
42+50+80	3.22	3.84	6.14				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
42+60+60	3.40	4.85	4.85				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
42+60+71	3.20	4.58	5.42				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
50+50+50	4.37	4.37	4.37				13.10 (3.20 - 14.80)	4.050 (0.770 - 4.560)	18.15	97
50+50+60	4.09	4.09	4.91				13.10 (3.20 - 15.00)	4.050 (0.770 - 4.580)	18.15	97
50+50+71	3.86	3.86	5.48				13.20 (3.20 - 15.20)	3.900 (0.760 - 4.610)	17.48	97
50+50+80	3.67	3.67	5.87				13.20 (3.20 - 15.30)	3.900 (0.760 - 4.620)	17.48	97
50+60+60	3.88	4.66	4.66				13.20 (3.20 - 15.10)	3.900 (0.760 - 4.600)	17.48	97
60+60+60	4.40	4.40	4.40				13.20 (3.20 - 15.30)	3.900 (0.760 - 4.620)	17.48	97
22+22+22+22	2.85	2.85	2.85	2.85			11.40 (3.20 - 14.60)	2.800 (0.760 - 4.050)	12.30	99
22+22+22+25	2.80	2.80	2.80	3.19			11.60 (3.20 - 14.70)	2.890 (0.760 - 4.120)	12.69	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+22+35	2.61	2.61	2.61	4.16			12.00 (3.20 - 14.90)	3.070 (0.760 - 4.250)	13.48	99
22+22+22+42	2.49	2.49	2.49	4.74			12.20 (3.20 - 14.90)	3.190 (0.760 - 4.250)	14.01	99
22+22+22+50	2.37	2.37	2.37	5.39			12.50 (3.20 - 14.90)	3.370 (0.760 - 4.250)	14.80	99
22+22+22+60	2.23	2.23	2.23	6.10			12.80 (3.20 - 15.00)	3.550 (0.760 - 4.720)	15.59	99
22+22+22+71	2.10	2.10	2.10	6.79			13.10 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38	99
22+22+22+80	1.99	1.99	1.99	7.23			13.20 (3.20 - 15.00)	3.750 (0.760 - 4.720)	16.47	99
22+22+25+25	2.74	2.74	3.11	3.11			11.70 (3.20 - 14.80)	2.940 (0.760 - 4.180)	12.91	99
22+22+25+35	2.56	2.56	2.91	4.07			12.10 (3.20 - 14.90)	3.130 (0.760 - 4.250)	13.75	99
22+22+25+42	2.44	2.44	2.77	4.65			12.30 (3.20 - 14.90)	3.250 (0.760 - 4.250)	14.27	99
22+22+25+50	2.33	2.33	2.65	5.29			12.60 (3.20 - 14.90)	3.430 (0.760 - 4.250)	15.06	99
22+22+25+60	2.20	2.20	2.50	6.00			12.90 (3.20 - 15.00)	3.610 (0.760 - 4.720)	15.85	99
22+22+25+71	2.07	2.07	2.36	6.69			13.20 (3.20 - 15.00)	3.790 (0.760 - 4.720)	16.64	99
22+22+25+80	1.95	1.95	2.21	7.09			13.20 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38	99
22+22+35+35	2.39	2.39	3.81	3.81			12.40 (3.20 - 14.90)	3.310 (0.760 - 4.250)	14.54	99
22+22+35+42	2.29	2.29	3.64	4.37			12.60 (3.20 - 15.00)	3.430 (0.760 - 4.720)	15.06	99
22+22+35+50	2.20	2.20	3.50	5.00			12.90 (3.20 - 15.00)	3.610 (0.760 - 4.720)	15.85	99
22+22+35+60	2.09	2.09	3.32	5.70			13.20 (3.20 - 15.00)	3.790 (0.760 - 4.720)	16.64	99
22+22+35+71	1.94	1.94	3.08	6.25			13.20 (3.20 - 15.00)	3.720 (0.760 - 4.720)	16.34	99
22+22+35+80	1.83	1.83	2.91	6.64			13.20 (3.20 - 15.10)	3.660 (0.760 - 4.500)	16.07	99
22+22+42+42	2.20	2.20	4.20	4.20			12.80 (3.20 - 15.00)	3.550 (0.760 - 4.720)	15.59	99
22+22+42+50	2.12	2.12	4.05	4.82			13.10 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38	99
22+22+42+60	1.99	1.99	3.80	5.42			13.20 (3.20 - 15.00)	3.750 (0.760 - 4.720)	16.47	99
22+22+42+71	1.85	1.85	3.53	5.97			13.20 (3.20 - 15.10)	3.670 (0.760 - 4.500)	16.12	99
22+22+42+80	1.75	1.75	3.34	6.36			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85	99
22+22+50+50	2.02	2.02	4.58	4.58			13.20 (3.20 - 15.00)	3.760 (0.760 - 4.720)	16.51	99
22+22+50+60	1.89	1.89	4.29	5.14			13.20 (3.20 - 15.10)	3.700 (0.760 - 4.500)	16.25	99
22+22+50+71	1.76	1.76	4.00	5.68			13.20 (3.20 - 15.10)	3.620 (0.760 - 4.500)	15.90	99
22+22+50+80	1.67	1.67	3.79	6.07			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81	99
22+22+60+60	1.77	1.77	4.83	4.83			13.20 (3.20 - 15.10)	3.630 (0.760 - 4.500)	15.94	99
22+22+60+71	1.66	1.66	4.53	5.36			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81	99
22+25+25+25	2.70	3.07	3.07	3.07			11.90 (3.20 - 14.80)	3.030 (0.760 - 4.180)	13.31	99
22+25+25+35	2.51	2.85	2.85	3.99			12.20 (3.20 - 14.90)	3.190 (0.760 - 4.250)	14.01	99
22+25+25+42	2.39	2.72	2.72	4.57			12.40 (3.20 - 14.90)	3.310 (0.760 - 4.250)	14.54	99
22+25+25+50	2.29	2.60	2.60	5.20			12.70 (3.20 - 15.00)	3.490 (0.760 - 4.720)	15.33	99
22+25+25+60	2.17	2.46	2.46	5.91			13.00 (3.20 - 15.00)	3.670 (0.760 - 4.720)	16.12	99
22+25+25+71	2.03	2.31	2.31	6.55			13.20 (3.20 - 15.00)	3.770 (0.760 - 4.720)	16.56	99
22+25+25+80	1.91	2.17	2.17	6.95			13.20 (3.20 - 15.00)	3.710 (0.760 - 4.720)	16.29	99
22+25+35+35	2.35	2.67	3.74	3.74			12.50 (3.20 - 14.90)	3.370 (0.760 - 4.250)	14.80	99
22+25+35+42	2.25	2.56	3.58	4.30			12.70 (3.20 - 15.00)	3.490 (0.760 - 4.720)	15.33	99
22+25+35+50	2.17	2.46	3.45	4.92			13.00 (3.20 - 15.00)	3.670 (0.760 - 4.720)	16.12	99
22+25+35+60	2.05	2.32	3.25	5.58			13.20 (3.20 - 15.00)	3.780 (0.760 - 4.720)	16.60	99
22+25+35+71	1.90	2.16	3.02	6.13			13.20 (3.20 - 15.00)	3.700 (0.760 - 4.720)	16.25	99
22+25+35+80	1.79	2.04	2.85	6.52			13.20 (3.20 - 15.10)	3.640 (0.760 - 4.500)	15.99	99
22+25+42+42	2.17	2.46	4.14	4.14			12.90 (3.20 - 15.00)	3.610 (0.760 - 4.720)	15.85	99
22+25+42+50	2.09	2.37	3.99	4.75			13.20 (3.20 - 15.00)	3.790 (0.760 - 4.720)	16.64	99
22+25+42+60	1.95	2.21	3.72	5.32			13.20 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38	99
22+25+42+71	1.82	2.06	3.47	5.86			13.20 (3.20 - 15.10)	3.650 (0.760 - 4.500)	16.03	99
22+25+42+80	1.72	1.95	3.28	6.25			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
22+25+50+50	1.98	2.24	4.49	4.49			13.20 (3.20 - 15.00)	3.740 (0.760 - 4.720)	16.43 99
22+25+50+60	1.85	2.10	4.20	5.04			13.20 (3.20 - 15.10)	3.670 (0.760 - 4.500)	16.12 99
22+25+50+71	1.73	1.96	3.93	5.58			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+25+50+80	1.64	1.86	3.73	5.97			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+25+60+60	1.74	1.98	4.74	4.74			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85 99
22+25+60+71	1.63	1.85	4.45	5.27			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+35+35+35	2.22	3.53	3.53	3.53			12.80 (3.20 - 15.00)	3.550 (0.760 - 4.720)	15.59 99
22+35+35+42	2.13	3.40	3.40	4.07			13.00 (3.20 - 15.00)	3.670 (0.760 - 4.720)	16.12 99
22+35+35+50	2.05	3.25	3.25	4.65			13.20 (3.20 - 15.00)	3.780 (0.760 - 4.720)	16.60 99
22+35+35+60	1.91	3.04	3.04	5.21			13.20 (3.20 - 15.00)	3.710 (0.760 - 4.720)	16.29 99
22+35+35+71	1.78	2.83	2.83	5.75			13.20 (3.20 - 15.10)	3.630 (0.760 - 4.500)	15.94 99
22+35+35+80	1.69	2.69	2.69	6.14			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+35+42+42	2.06	3.28	3.93	3.93			13.20 (3.20 - 15.00)	3.780 (0.760 - 4.720)	16.60 99
22+35+42+50	1.95	3.10	3.72	4.43			13.20 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38 99
22+35+42+60	1.83	2.91	3.49	4.98			13.20 (3.20 - 15.10)	3.660 (0.760 - 4.500)	16.07 99
22+35+42+71	1.71	2.72	3.26	5.51			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+35+42+80	1.62	2.58	3.10	5.90			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+35+50+50	1.85	2.94	4.20	4.20			13.20 (3.20 - 15.10)	3.670 (0.760 - 4.500)	16.12 99
22+35+50+60	1.74	2.77	3.95	4.74			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85 99
22+35+50+71	1.63	2.60	3.71	5.27			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+35+60+60	1.64	2.61	4.47	4.47			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+42+42+42	1.96	3.75	3.75	3.75			13.20 (3.20 - 15.00)	3.740 (0.760 - 4.720)	16.43 99
22+42+42+50	1.86	3.55	3.55	4.23			13.20 (3.20 - 15.10)	3.680 (0.760 - 4.500)	16.16 99
22+42+42+60	1.75	3.34	3.34	4.77			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85 99
22+42+42+71	1.64	3.13	3.13	5.29			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+42+50+50	1.77	3.38	4.02	4.02			13.20 (3.20 - 15.10)	3.630 (0.760 - 4.500)	15.94 99
22+42+50+60	1.67	3.19	3.79	4.55			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+50+50+50	1.69	3.84	3.84	3.84			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+25+25+25	3.00	3.00	3.00	3.00			12.00 (3.20 - 14.90)	3.070 (0.760 - 4.250)	13.48 99
25+25+25+35	2.80	2.80	2.80	3.91			12.30 (3.20 - 14.90)	3.250 (0.760 - 4.250)	14.27 99
25+25+25+42	2.67	2.67	2.67	4.49			12.50 (3.20 - 14.90)	3.370 (0.760 - 4.250)	14.80 99
25+25+25+50	2.56	2.56	2.56	5.12			12.80 (3.20 - 15.00)	3.550 (0.760 - 4.720)	15.59 99
25+25+25+60	2.43	2.43	2.43	5.82			13.10 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38 99
25+25+25+71	2.26	2.26	2.26	6.42			13.20 (3.20 - 15.00)	3.750 (0.760 - 4.720)	16.47 99
25+25+25+80	2.13	2.13	2.13	6.81			13.20 (3.20 - 15.10)	3.690 (0.760 - 4.500)	16.21 99
25+25+35+35	2.63	2.63	3.68	3.68			12.60 (3.20 - 15.00)	3.430 (0.760 - 4.720)	15.06 99
25+25+35+42	2.52	2.52	3.53	4.23			12.80 (3.20 - 15.00)	3.550 (0.760 - 4.720)	15.59 99
25+25+35+50	2.43	2.43	3.40	4.85			13.10 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38 99
25+25+35+60	2.28	2.28	3.19	5.46			13.20 (3.20 - 15.00)	3.760 (0.760 - 4.720)	16.51 99
25+25+35+71	2.12	2.12	2.96	6.01			13.20 (3.20 - 15.10)	3.680 (0.760 - 4.500)	16.16 99
25+25+35+80	2.00	2.00	2.80	6.40			13.20 (3.20 - 15.10)	3.620 (0.760 - 4.500)	15.90 99
25+25+42+42	2.43	2.43	4.07	4.07			13.00 (3.20 - 15.00)	3.670 (0.760 - 4.720)	16.12 99
25+25+42+50	2.32	2.32	3.90	4.65			13.20 (3.20 - 15.00)	3.780 (0.760 - 4.720)	16.60 99
25+25+42+60	2.17	2.17	3.65	5.21			13.20 (3.20 - 15.00)	3.710 (0.760 - 4.720)	16.29 99
25+25+42+71	2.02	2.02	3.40	5.75			13.20 (3.20 - 15.10)	3.630 (0.760 - 4.500)	15.94 99
25+25+42+80	1.92	1.92	3.22	6.14			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+25+50+50	2.20	2.20	4.40	4.40			13.20 (3.20 - 15.00)	3.720 (0.760 - 4.720)	16.34 99
25+25+50+60	2.06	2.06	4.13	4.95			13.20 (3.20 - 15.10)	3.650 (0.760 - 4.500)	16.03 99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F			
25+25+50+71	1.93	1.93	3.86	5.48			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+25+50+80	1.83	1.83	3.67	5.87			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+25+60+60	1.94	1.94	4.66	4.66			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+35+35+35	2.48	3.47	3.47	3.47			12.90 (3.20 - 15.00)	3.610 (0.760 - 4.720)	15.85 99
25+35+35+42	2.39	3.35	3.35	4.02			13.10 (3.20 - 15.00)	3.730 (0.760 - 4.720)	16.38 99
25+35+35+50	2.28	3.19	3.19	4.55			13.20 (3.20 - 15.00)	3.760 (0.760 - 4.720)	16.51 99
25+35+35+60	2.13	2.98	2.98	5.11			13.20 (3.20 - 15.10)	3.690 (0.760 - 4.500)	16.21 99
25+35+35+71	1.99	2.78	2.78	5.65			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85 99
25+35+35+80	1.89	2.64	2.64	6.03			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+35+42+42	2.29	3.21	3.85	3.85			13.20 (3.20 - 15.00)	3.760 (0.760 - 4.720)	16.51 99
25+35+42+50	2.17	3.04	3.65	4.34			13.20 (3.20 - 15.00)	3.710 (0.760 - 4.720)	16.29 99
25+35+42+60	2.04	2.85	3.42	4.89			13.20 (3.20 - 15.10)	3.640 (0.760 - 4.500)	15.99 99
25+35+42+71	1.91	2.67	3.20	5.42			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+35+50+50	2.06	2.89	4.13	4.13			13.20 (3.20 - 15.10)	3.650 (0.760 - 4.500)	16.03 99
25+35+50+60	1.94	2.72	3.88	4.66			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+35+60+60	1.83	2.57	4.40	4.40			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+42+42+42	2.19	3.67	3.67	3.67			13.20 (3.20 - 15.00)	3.720 (0.760 - 4.720)	16.34 99
25+42+42+50	2.08	3.49	3.49	4.15			13.20 (3.20 - 15.10)	3.660 (0.760 - 4.500)	16.07 99
25+42+42+60	1.95	3.28	3.28	4.69			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+42+42+71	1.83	3.08	3.08	5.21			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+42+50+50	1.98	3.32	3.95	3.95			13.20 (3.20 - 15.10)	3.610 (0.760 - 4.500)	15.85 99
25+42+50+60	1.86	3.13	3.73	4.47			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
25+50+50+50	1.89	3.77	3.77	3.77			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+35+35+35	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.00)	3.790 (0.760 - 4.720)	16.64 99
35+35+35+42	3.14	3.14	3.14	3.77			13.20 (3.20 - 15.00)	3.740 (0.760 - 4.720)	16.43 99
35+35+35+50	2.98	2.98	2.98	4.26			13.20 (3.20 - 15.10)	3.690 (0.760 - 4.500)	16.21 99
35+35+35+60	2.80	2.80	2.80	4.80			13.20 (3.20 - 15.10)	3.620 (0.760 - 4.500)	15.90 99
35+35+35+71	2.63	2.63	2.63	5.33			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+35+42+42	3.00	3.00	3.60	3.60			13.20 (3.20 - 15.10)	3.700 (0.760 - 4.500)	16.25 99
35+35+42+50	2.85	2.85	3.42	4.07			13.20 (3.20 - 15.10)	3.640 (0.760 - 4.500)	15.99 99
35+35+42+60	2.69	2.69	3.22	4.60			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+35+50+50	2.72	2.72	3.88	3.88			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+35+50+60	2.57	2.57	3.67	4.40			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+42+42+42	2.87	3.44	3.44	3.44			13.20 (3.20 - 15.10)	3.650 (0.760 - 4.500)	16.03 99
35+42+42+50	2.73	3.28	3.28	3.91			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+42+42+60	2.58	3.10	3.10	4.42			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
35+42+50+50	2.61	3.13	3.73	3.73			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
42+42+42+42	3.30	3.30	3.30	3.30			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
42+42+42+50	3.15	3.15	3.15	3.75			13.20 (3.20 - 15.10)	3.600 (0.760 - 4.500)	15.81 99
22+22+22+22+22	2.50	2.50	2.50	2.50	2.50		12.50 (3.50 - 15.00)	3.130 (0.770 - 4.460)	13.75 99
22+22+22+22+25	2.43	2.43	2.43	2.43	2.77		12.50 (3.50 - 15.00)	3.140 (0.770 - 4.480)	13.79 99
22+22+22+22+35	2.27	2.27	2.27	2.27	3.61		12.70 (3.50 - 15.10)	3.170 (0.770 - 4.540)	13.92 99
22+22+22+22+42	2.17	2.17	2.17	2.17	4.14		12.80 (3.50 - 15.20)	3.200 (0.770 - 4.590)	14.05 99
22+22+22+22+50	2.06	2.06	2.06	2.06	4.67		12.90 (3.50 - 15.30)	3.220 (0.770 - 4.640)	14.14 99
22+22+22+22+60	1.93	1.93	1.93	1.93	5.27		13.00 (3.50 - 15.40)	3.260 (0.770 - 4.700)	14.32 99
22+22+22+22+71	1.83	1.83	1.83	1.83	5.89		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.770)	14.49 99
22+22+22+22+80	1.74	1.74	1.74	1.74	6.33		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62 99
22+22+22+25+25	2.39	2.39	2.39	2.72	2.72		12.60 (3.50 - 15.10)	3.150 (0.770 - 4.500)	13.83 99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+22+22+25+35	2.22	2.22	2.22	2.52	3.53		12.70 (3.50 - 15.10)	3.180 (0.770 - 4.560)	13.97	99
22+22+22+25+42	2.12	2.12	2.12	2.41	4.04		12.80 (3.50 - 15.20)	3.210 (0.770 - 4.610)	14.10	99
22+22+22+25+50	2.01	2.01	2.01	2.29	4.57		12.90 (3.50 - 15.30)	3.230 (0.770 - 4.660)	14.19	99
22+22+22+25+60	1.91	1.91	1.91	2.17	5.21		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.720)	14.36	99
22+22+22+25+71	1.79	1.79	1.79	2.04	5.79		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.790)	14.54	99
22+22+22+25+80	1.71	1.71	1.71	1.94	6.22		13.30 (3.50 - 15.60)	3.340 (0.770 - 4.840)	14.67	99
22+22+22+35+35	2.09	2.09	2.09	3.32	3.32		12.90 (3.50 - 15.20)	3.220 (0.770 - 4.620)	14.14	99
22+22+22+35+42	2.00	2.00	2.00	3.18	3.82		13.00 (3.50 - 15.30)	3.240 (0.770 - 4.670)	14.23	99
22+22+22+35+50	1.91	1.91	1.91	3.04	4.34		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.720)	14.36	99
22+22+22+35+60	1.80	1.80	1.80	2.87	4.92		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.780)	14.49	99
22+22+22+35+71	1.71	1.71	1.71	2.73	5.53		13.40 (3.50 - 15.60)	3.340 (0.770 - 4.850)	14.67	99
22+22+22+42+42	1.92	1.92	1.92	3.67	3.67		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.710)	14.36	99
22+22+22+42+50	1.84	1.84	1.84	3.51	4.18		13.20 (3.50 - 15.40)	3.290 (0.770 - 4.760)	14.45	99
22+22+22+42+60	1.74	1.74	1.74	3.33	4.75		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62	99
22+22+22+42+71	1.65	1.65	1.65	3.14	5.32		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+22+50+50	1.76	1.76	1.76	4.01	4.01		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.810)	14.58	99
22+22+22+50+60	1.68	1.68	1.68	3.81	4.57		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+25+25+25	2.33	2.33	2.65	2.65	2.65		12.60 (3.50 - 15.10)	3.160 (0.770 - 4.520)	13.88	99
22+22+25+25+35	2.18	2.18	2.48	2.48	3.47		12.80 (3.50 - 15.20)	3.190 (0.770 - 4.580)	14.01	99
22+22+25+25+42	2.09	2.09	2.37	2.37	3.98		12.90 (3.50 - 15.20)	3.220 (0.770 - 4.620)	14.14	99
22+22+25+25+50	1.99	1.99	2.26	2.26	4.51		13.00 (3.50 - 15.30)	3.250 (0.770 - 4.670)	14.27	99
22+22+25+25+60	1.87	1.87	2.13	2.13	5.10		13.10 (3.50 - 15.40)	3.280 (0.770 - 4.740)	14.40	99
22+22+25+25+71	1.77	1.77	2.02	2.02	5.72		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.810)	14.58	99
22+22+25+25+80	1.69	1.69	1.93	1.93	6.16		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.860)	14.71	99
22+22+25+35+35	2.04	2.04	2.32	3.25	3.25		12.90 (3.50 - 15.30)	3.230 (0.770 - 4.640)	14.19	99
22+22+25+35+42	1.96	1.96	2.23	3.12	3.74		13.00 (3.50 - 15.30)	3.250 (0.770 - 4.690)	14.27	99
22+22+25+35+50	1.87	1.87	2.13	2.98	4.25		13.10 (3.50 - 15.40)	3.280 (0.770 - 4.740)	14.40	99
22+22+25+35+60	1.77	1.77	2.01	2.82	4.83		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.800)	14.54	99
22+22+25+35+71	1.68	1.68	1.91	2.68	5.44		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+25+42+42	1.88	1.88	2.14	3.60	3.60		13.10 (3.50 - 15.40)	3.280 (0.770 - 4.730)	14.40	99
22+22+25+42+50	1.80	1.80	2.05	3.44	4.10		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.780)	14.49	99
22+22+25+42+60	1.71	1.71	1.94	3.27	4.67		13.30 (3.50 - 15.60)	3.340 (0.770 - 4.840)	14.67	99
22+22+25+50+50	1.73	1.73	1.97	3.93	3.93		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62	99
22+22+25+50+60	1.65	1.65	1.87	3.74	4.49		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+35+35+35	1.92	1.92	3.05	3.05	3.05		13.00 (3.50 - 15.40)	3.260 (0.770 - 4.710)	14.32	99
22+22+35+35+42	1.85	1.85	2.94	2.94	3.53		13.10 (3.50 - 15.40)	3.290 (0.770 - 4.750)	14.45	99
22+22+35+35+50	1.77	1.77	2.82	2.82	4.02		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.800)	14.54	99
22+22+35+35+60	1.69	1.69	2.70	2.70	4.62		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.860)	14.71	99
22+22+35+42+42	1.78	1.78	2.83	3.40	3.40		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.790)	14.54	99
22+22+35+42+50	1.71	1.71	2.72	3.27	3.89		13.30 (3.50 - 15.60)	3.340 (0.770 - 4.840)	14.67	99
22+22+35+50+50	1.65	1.65	2.62	3.74	3.74		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+42+42+42	1.72	1.72	3.29	3.29	3.29		13.30 (3.50 - 15.60)	3.330 (0.770 - 4.840)	14.62	99
22+22+42+42+50	1.66	1.66	3.16	3.16	3.76		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+25+25+25+25	2.29	2.60	2.60	2.60	2.60		12.70 (3.50 - 15.10)	3.170 (0.770 - 4.540)	13.92	99
22+25+25+25+35	2.13	2.42	2.42	2.42	3.39		12.80 (3.50 - 15.20)	3.200 (0.770 - 4.600)	14.05	99
22+25+25+25+42	2.04	2.32	2.32	2.32	3.90		12.90 (3.50 - 15.30)	3.230 (0.770 - 4.640)	14.19	99
22+25+25+25+50	1.95	2.21	2.21	2.21	4.42		13.00 (3.50 - 15.30)	3.260 (0.770 - 4.690)	14.32	99
22+25+25+25+60	1.85	2.10	2.10	2.10	5.04		13.20 (3.50 - 15.40)	3.290 (0.770 - 4.760)	14.45	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
22+25+25+25+71	1.74	1.98	1.98	1.98	5.62		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62	99
22+25+25+25+80	1.67	1.89	1.89	1.89	6.06		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+25+25+35+35	2.00	2.27	2.27	3.18	3.18		12.90 (3.50 - 15.30)	3.240 (0.770 - 4.660)	14.23	99
22+25+25+35+42	1.92	2.18	2.18	3.05	3.66		13.00 (3.50 - 15.40)	3.260 (0.770 - 4.710)	14.32	99
22+25+25+35+50	1.85	2.10	2.10	2.94	4.20		13.20 (3.50 - 15.40)	3.290 (0.770 - 4.760)	14.45	99
22+25+25+35+60	1.75	1.99	1.99	2.79	4.78		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.820)	14.58	99
22+25+25+35+71	1.66	1.88	1.88	2.63	5.34		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+25+25+42+42	1.85	2.10	2.10	3.53	3.53		13.10 (3.50 - 15.40)	3.290 (0.770 - 4.750)	14.45	99
22+25+25+42+50	1.77	2.01	2.01	3.38	4.02		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.800)	14.54	99
22+25+25+42+60	1.69	1.93	1.93	3.23	4.62		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.860)	14.71	99
22+25+25+50+50	1.71	1.95	1.95	3.90	3.90		13.40 (3.50 - 15.60)	3.340 (0.770 - 4.850)	14.67	99
22+25+35+35+35	1.90	2.15	3.02	3.02	3.02		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.720)	14.36	99
22+25+35+35+42	1.83	2.08	2.91	2.91	3.49		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.770)	14.49	99
22+25+35+35+50	1.75	1.99	2.79	2.79	3.98		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.820)	14.58	99
22+25+35+35+60	1.67	1.89	2.65	2.65	4.54		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+25+35+42+42	1.76	2.00	2.80	3.37	3.37		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.810)	14.58	99
22+25+35+42+50	1.69	1.93	2.70	3.23	3.85		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.860)	14.71	99
22+25+42+42+42	1.70	1.94	3.25	3.25	3.25		13.40 (3.50 - 15.60)	3.340 (0.770 - 4.860)	14.67	99
22+35+35+35+35	1.79	2.85	2.85	2.85	2.85		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.790)	14.54	99
22+35+35+35+42	1.73	2.75	2.75	2.75	3.31		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62	99
22+35+35+35+50	1.67	2.65	2.65	2.65	3.79		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+35+35+42+42	1.68	2.66	2.66	3.20	3.20		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+25+25+25	2.54	2.54	2.54	2.54	2.54		12.70 (3.50 - 15.10)	3.180 (0.770 - 4.550)	13.97	99
25+25+25+25+35	2.37	2.37	2.37	2.37	3.32		12.80 (3.50 - 15.20)	3.210 (0.770 - 4.620)	14.10	99
25+25+25+25+42	2.27	2.27	2.27	2.27	3.82		12.90 (3.50 - 15.30)	3.240 (0.770 - 4.660)	14.23	99
25+25+25+25+50	2.18	2.18	2.18	2.18	4.37		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.710)	14.36	99
25+25+25+25+60	2.06	2.06	2.06	2.06	4.95		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.780)	14.49	99
25+25+25+25+71	1.94	1.94	1.94	1.94	5.52		13.30 (3.50 - 15.60)	3.340 (0.770 - 4.840)	14.67	99
25+25+25+25+80	1.86	1.86	1.86	1.86	5.96		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+25+35+35	2.24	2.24	2.24	3.14	3.14		13.00 (3.50 - 15.30)	3.250 (0.770 - 4.680)	14.27	99
25+25+25+35+42	2.15	2.15	2.15	3.02	3.62		13.10 (3.50 - 15.40)	3.270 (0.770 - 4.720)	14.36	99
25+25+25+35+50	2.06	2.06	2.06	2.89	4.13		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.780)	14.49	99
25+25+25+35+60	1.96	1.96	1.96	2.74	4.69		13.30 (3.50 - 15.60)	3.330 (0.770 - 4.840)	14.62	99
25+25+25+42+42	2.08	2.08	2.08	3.49	3.49		13.20 (3.50 - 15.50)	3.300 (0.770 - 4.770)	14.49	99
25+25+25+42+50	1.99	1.99	1.99	3.34	3.98		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.820)	14.58	99
25+25+25+42+60	1.89	1.89	1.89	3.18	4.54		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+25+50+50	1.91	1.91	1.91	3.83	3.83		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+35+35+35	2.11	2.11	2.96	2.96	2.96		13.10 (3.50 - 15.40)	3.280 (0.770 - 4.740)	14.40	99
25+25+35+35+42	2.04	2.04	2.85	2.85	3.42		13.20 (3.50 - 15.50)	3.310 (0.770 - 4.790)	14.54	99
25+25+35+35+50	1.96	1.96	2.74	2.74	3.91		13.30 (3.50 - 15.60)	3.330 (0.770 - 4.840)	14.62	99
25+25+35+35+60	1.86	1.86	2.61	2.61	4.47		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+35+42+42	1.97	1.97	2.75	3.31	3.31		13.30 (3.50 - 15.50)	3.330 (0.770 - 4.830)	14.62	99
25+25+35+42+50	1.89	1.89	2.65	3.18	3.79		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+25+42+42+42	1.90	1.90	3.20	3.20	3.20		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+35+35+35+35	2.02	2.82	2.82	2.82	2.82		13.30 (3.50 - 15.50)	3.320 (0.770 - 4.810)	14.58	99
25+35+35+35+42	1.95	2.73	2.73	2.73	3.27		13.40 (3.50 - 15.60)	3.340 (0.770 - 4.850)	14.67	99
25+35+35+35+50	1.86	2.61	2.61	2.61	3.72		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
25+35+35+42+42	1.87	2.62	2.62	3.14	3.14		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Outdoor unit power consumption (kW)	Current (A)	Power factor (%)	
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
35+35+35+35+35	2.68	2.68	2.68	2.68	2.68		13.40 (3.50 - 15.60)	3.350 (0.770 - 4.870)	14.71	99
22+22+22+22+22+22	2.17	2.17	2.17	2.17	2.17	2.17	13.00 (3.50 - 16.50)	3.520 (0.760 - 5.100)	15.46	99
22+22+22+22+22+25	2.13	2.13	2.13	2.13	2.13	2.43	13.10 (3.50 - 16.50)	3.540 (0.760 - 5.110)	15.55	99
22+22+22+22+22+35	2.03	2.03	2.03	2.03	2.03	3.23	13.40 (3.50 - 16.50)	3.590 (0.760 - 5.140)	15.77	99
22+22+22+22+22+42	1.95	1.95	1.95	1.95	1.95	3.73	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+22+50	1.86	1.86	1.86	1.86	1.86	4.22	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+22+60	1.75	1.75	1.75	1.75	1.75	4.76	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+25+25	2.10	2.10	2.10	2.10	2.39	2.39	13.20 (3.50 - 16.50)	3.550 (0.760 - 5.120)	15.59	99
22+22+22+22+25+35	1.99	1.99	1.99	1.99	2.26	3.17	13.40 (3.50 - 16.50)	3.600 (0.760 - 5.140)	15.81	99
22+22+22+22+25+42	1.92	1.92	1.92	1.92	2.18	3.66	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+25+50	1.82	1.82	1.82	1.82	2.07	4.14	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+25+60	1.72	1.72	1.72	1.72	1.95	4.68	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+35+35	1.88	1.88	1.88	1.88	2.99	2.99	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+35+42	1.80	1.80	1.80	1.80	2.86	3.44	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+35+50	1.72	1.72	1.72	1.72	2.73	3.90	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+42+42	1.73	1.73	1.73	1.73	3.30	3.30	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+22+42+50	1.65	1.65	1.65	1.65	3.15	3.75	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+25+25	2.08	2.08	2.08	2.36	2.36	2.36	13.30 (3.50 - 16.50)	3.570 (0.760 - 5.130)	15.68	99
22+22+22+25+25+35	1.97	1.97	1.97	2.24	2.24	3.13	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+25+42	1.88	1.88	1.88	2.14	2.14	3.59	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+25+50	1.79	1.79	1.79	2.03	2.03	4.07	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+25+60	1.69	1.69	1.69	1.92	1.92	4.60	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+35+35	1.84	1.84	1.84	2.10	2.93	2.93	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+35+42	1.77	1.77	1.77	2.01	2.81	3.38	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+35+50	1.69	1.69	1.69	1.92	2.68	3.84	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+25+42+42	1.70	1.70	1.70	1.93	3.24	3.24	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+35+35+35	1.74	1.74	1.74	2.76	2.76	2.76	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+22+35+35+42	1.67	1.67	1.67	2.65	2.65	3.19	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+25+25	2.03	2.03	2.31	2.31	2.31	2.31	13.30 (3.50 - 16.50)	3.580 (0.760 - 5.130)	15.72	99
22+22+25+25+25+35	1.93	1.93	2.19	2.19	2.19	3.07	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+25+42	1.84	1.84	2.10	2.10	2.10	3.52	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+25+50	1.76	1.76	2.00	2.00	2.00	3.99	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+25+60	1.66	1.66	1.89	1.89	1.89	4.53	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+35+35	1.81	1.81	2.06	2.06	2.88	2.88	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+35+42	1.74	1.74	1.97	1.97	2.76	3.32	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+35+50	1.66	1.66	1.89	1.89	2.64	3.77	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+25+42+42	1.67	1.67	1.90	1.90	3.19	3.19	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+22+25+35+35+35	1.71	1.71	1.94	2.72	2.72	2.72	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+25+25+25	2.01	2.28	2.28	2.28	2.28	2.28	13.40 (3.50 - 16.50)	3.600 (0.760 - 5.140)	15.81	99
22+25+25+25+25+35	1.89	2.15	2.15	2.15	2.15	3.01	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+25+25+42	1.81	2.06	2.06	2.06	2.06	3.46	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+25+25+50	1.73	1.96	1.96	1.96	1.96	3.92	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+25+35+35	1.78	2.02	2.02	2.02	2.83	2.83	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+25+35+42	1.71	1.94	1.94	1.94	2.72	3.26	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
22+25+25+35+35+35	1.68	1.91	1.91	2.67	2.67	2.67	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+25+25+25	2.25	2.25	2.25	2.25	2.25	2.25	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+25+25+35	2.11	2.11	2.11	2.11	2.11	2.95	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+25+25+42	2.02	2.02	2.02	2.02	2.02	3.40	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99

MXZ-6D120VA HEATING

Indoor units combination	Heating capacity (kW)						Total	Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F				
25+25+25+25+25+50	1.93	1.93	1.93	1.93	1.93	3.86	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+25+35+35	1.99	1.99	1.99	1.99	2.78	2.78	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+25+35+42	1.91	1.91	1.91	1.91	2.67	3.20	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99
25+25+25+35+35+35	1.88	1.88	1.88	2.63	2.63	2.63	13.50 (3.50 - 16.50)	3.612 (0.760 - 5.150)	15.86	99